

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

900360_771310_2940_3_K_Lackschutz

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Car and boat polish

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Technolit GmbH
Street: Industriestr. 8
Place: D-36137 Großenlüder
Telephone: +49 (0) 66 48 / 69-0
e-mail: info@technolit.de
Internet: www.technolit.de

Telefax: +49 (0) 66 48 / 69-5 69

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Flammable liquid and vapour.

Causes serious eye irritation.

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Signal word: Danger

Pictograms:



Hazard statements

H226

Flammable liquid and vapour.

H319

Causes serious eye irritation.

H372

Causes damage to organs through prolonged or repeated exposure.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 2 of 10

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of this material and its container to hazardous or special waste collection point.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			15-<20 %
	919-446-0		01-2119458049-33	
	Flam. Liq. 3, STOT SE 3, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H336 H372 H304 H411			
68425-47-8	Diethanolamide, soya			1-<5 %
	270-355-6			
	Skin Irrit. 2, Eye Dam. 1; H315 H318			

Full text of H and EUH statements: see section 16.

Further Information

Labelling for contents according to regulation (EC) No. 648/2004:

15-<30% aliphatic hydrocarbons; <5% nonionic surfactants; Preservative.

(LAURYLAMINE DIPROPYLENEDIAMINE, BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry extinguishing powder, Carbon dioxide (CO₂), alcohol resistant foam, Water spray jet.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

In case of fire may be liberated: Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Carbon monoxide.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Special protective equipment for firefighters: Protective clothing

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Protective measures: See section 7, 8.

Provide adequate ventilation.

Personal protection equipment: see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Use personal protection equipment. (See section 8.)

Keep container tightly closed. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Vapours of flammable solvents can accumulate in the gas phase of closed container, especially during heat treatment. Therefore keep away from fire and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against direct sunlight. Keep only in the original container in a cool, well-ventilated place.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 4 of 10

Further information on storage conditions

Avoid: Heat, Frost.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type	Exposure route		Effect	Value
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			
Worker DNEL, long-term	inhalation		systemic	330 mg/m ³
Worker DNEL, long-term	dermal		systemic	44 mg/kg bw/day
Consumer DNEL, long-term	inhalation		systemic	71 mg/m ³
Consumer DNEL, long-term	dermal		systemic	26 mg/kg bw/day
Consumer DNEL, long-term	oral		systemic	26 mg/kg bw/day

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective and hygiene measures

Only wear fitting, comfortable and clean protective clothing. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. Do not breathe gas/vapour/aerosol. Avoid contact with eyes and skin.

Eye/face protection

Eye glasses with side protection.
goggles.

Hand protection

Suitable gloves type: Disposable gloves
NR (natural rubber, natural latex)
NBR (Nitrile rubber) (DIN EN 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 5 of 10

worn. Filtering device (full mask or mouthpiece) with filter: ABEK P2

Environmental exposure controls

No special measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	white
Odour:	like: Gasoline

Test method

pH-Value (at 20 °C):	7
----------------------	---

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	>30 °C
Sustaining combustion:	No data available

Flammability

Solid:	not determined
Gas:	not determined

Explosive properties

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7,0 vol. %
Ignition temperature:	not determined

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not applicable
----------------------------	----------------

Oxidizing properties

Not oxidising.

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	0,988 g/cm³
---------------------	-------------

Water solubility:	partially miscible
-------------------	--------------------

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Viscosity / dynamic: (at 40 °C)	1390 mPa·s
------------------------------------	------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

Solvent content:	17,3
------------------	------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 6 of 10

9.2. Other information

Solid content:

not determined

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect against direct sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Sulphur dioxide (SO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
	oral	LD50 >15000 mg/kg	Rat	OECD 401	
	dermal	LD50 >3400 mg/kg	Rat	OECD 402	
68425-47-8	Diethanolamide, soya				
	oral	LD50 >5000 mg/kg	Rat		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)					
	Acute fish toxicity	LC50 mg/l	10-30	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50 mg/l	4,6-10	72 h	Pseudokirchneriella subcapitata	
	Crustacea toxicity	NOEC mg/l	0,097	21 d	Daphnia magna (Big water flea)	
68425-47-8	Diethanolamide, soya					
	Acute fish toxicity	LC50 mg/l	1-10	96 h		
	Acute algae toxicity	ErC50 mg/l	1-10			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Pseudomonas putida	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			
		74,7	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 8 of 10

Land transport (ADR/RID)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. [Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)]
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. [Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)]
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Classification code: F1
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. [Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)]
14.3. Transport hazard class(es): 3
14.4. Packing group: III
Hazard label: 3



Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S. [Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)]
14.3. Transport hazard class(es): 3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 9 of 10

14.4. Packing group:

Hazard label:

III

3



Special Provisions:

A3 A324

Limited quantity Passenger:

10 L

Passenger LQ:

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:

355

IATA-max. quantity - Passenger:

60 L

IATA-packing instructions - Cargo:

366

IATA-max. quantity - Cargo:

220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

900360_771310_2940_3_K_Lackschutz

Revision date: 29.05.2018

Page 10 of 10

H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)